

Whistler Cabin - Renovation

Address: 3009 Brio Entrance - Unit B, B.C.

April 5, 2026

Issued for Building Permit
April 5, 2026

A-0.0	Title Sheet - Drawing Legend	-
A-2.0	Site Plan	1/8" = 1'-0"
A-3.0	Lower Floor Plan - Existing & Proposed	1/4" = 1'-0"
A-3.1	Main Floor Plan - Existing	1/4" = 1'-0"
A-3.2	Upper Floor Plan - Existing	1/4" = 1'-0"
A-4.0	Elevations - Existing & Proposed	1/4" = 1'-0"

**3009 Brio Entrance
Unit B**
Whistler, British Columbia

Title Sheet

Contract


Drawn

Checked

Date APRIL 5, 2026

Scale

Sheet Number



Site Plan


Lot 1, Block 1
DL 4750
GROUP 1

**3009 Brio Entrance
Unit B**
Whistler, British Columbia

Site Plan


Contract
Drawn
Checked
Date APRIL 5, 2026
Scale 1/4" = 1'-0"
Sheet Number

Lower Floor Plan ~ Existing & Proposed



A-2.0

Issued for Building Permit
April 5, 2026



1st Floor
Existing & Proposed

Floorplate = 295 sf
Garage = 331 sf

**3009 Brio Entrance
Unit B**
Whistler, British Columbia

Lower Floor Plan
Existing & Proposed

Contract

Drawn


Checked

Date APRIL 5, 2026

Scale 1/4" = 1'-0"


Sheet Number

Lower Floor Plan ~ Existing & Proposed




A-3.0

Issued for Building Permit
April 5, 2026



2nd Floor - Proposed



2nd Floor - Existing


Floorplate = 973 sf
Deck = 267 sf

**3009 Brio Entrance
Unit B**
Whistler, British Columbia

**Main Floor Plan
Existing & Proposed**


Contract
Drawn
Checked
Date APRIL 5, 2026
Scale 1/4" = 1'-0"
Sheet Number

Main Floor Plan ~ Existing & Proposed



A-3.1

Issued for Building Permit
April 5, 2026




3rd Floor
Existing & Proposed
Floorplate = 773 sf

3009 Brio Entrance
Unit B
Whistler, British Columbia

Upper Floor Plan
Existing & Proposed


Contract
Drawn
Checked
Date APRIL 5, 2026
Scale 1/4" = 1'-0"
Sheet Number

Upper Floor Plan ~ Existing & Proposed





A-3.2

Issued for Building Permit
April 5, 2026




1. SOUTH ELEVATION

2. EAST ELEVATION



3. NORTH ELEVATION



4. WEST ELEVATION


LIMITING DISTANCE - NOT SPRINKLERED
DISTANCE TO PL = 12.5 FT - 3.81 M
WALL AREA = 276 SF - 25.6 SM
PERMITTED UNPROTECTED OPENINGS - 66.24 SF (24%)
PROPOSED UNPROTECTED OPENINGS 21 SF (7.6%)

3009 Brio Entrance
Unit B
Whistler, British Columbia

Elevations
Existing & Proposed

Contract
Drawn
Checked
Date APRIL 5, 2026
Scale 1/4" = 1'-0"
Sheet Number

Elevations ~ Existing & Proposed



A-4.0